



Ready now for what's next.™



SHOP DQE'S ONLINE STORE
www.dqeready.com

2021-2022



*PREPAREDNESS LEADER
SINCE 1990*

PUBLIC SAFETY & EMERGENCY RESPONSE

EQUIPMENT & SUPPLIES CATALOG

A background image showing emergency responders in a hazmat environment. One person in the foreground is wearing a blue protective suit and hood. Another person in the background is wearing a yellow protective suit. They are standing near a metal structure, possibly part of a decontamination chamber or a spill containment system.

LEADING THE WAY WITH A PRACTICAL APPROACH TO EMERGENCY PREPAREDNESS AND SAFETY

Thank you for reviewing DQE's Public Safety and Emergency Response catalog. We remain thankful for all the support we have received from the public safety community for almost three decades. DQE champions the important mission of our customers and looks forward to providing the products that serve our heroes for years to come.

Along with DQE's catalog, we continue to update our web and eCommerce site, making it a great resource to learn about our products, save a wish list, and to place orders. We plan continued improvements to our site to make it an informative place that supports the technical needs of those who work with our products. Frequently check our website for the most up-to-date information.

THE DQE MISSION

DQE provides practical products and expert support that improves the safety and readiness of the public safety, healthcare, and industry response community.

PROVEN

DQE sets the standard for how individuals, response agencies, and municipalities think about emergency preparedness and response. While DQE designs products for the response community, we understand that your needs may be unique. Product customization and adaptation to your specifications are all part of the DQE process.

PRACTICAL

Today it's an industrial chemical spill, but tomorrow it could be something on a far larger scale. Because you encounter drastically different scenarios on a day-to-day basis, DQE designs products to adapt to the appropriate level of response to ensure the most flexibility.

PREPARED

You can count on DQE to carry the products you need to prepare for emergency response. If you don't see what you need, just ask. Our customer support team will gladly find the products to customize your order and maximize your preparedness investment.

Whether it's delivering ready-made solutions or responding to your individual requirements, DQE helps you become *Ready now for what's next™*.


TABLE OF CONTENTS




DECONTAMINATION 4



HAZMAT RESPONSE 18




PERSONAL PROTECTION 24



EVACUATION 36



HEALTH & WELLNESS 38



RESPONSE SUPPORT 42

ORDERING WITH DQE IS EASY!

Order online at www.shop.dqeready.com where you can purchase by credit card (we accept VISA, Mastercard, Discover, and American Express). Submit a purchase order via fax at 317-295-9822 or email at orders@dqeready.com. Give our customer service representatives a call at 800-355-4628.

The appearance of U.S. Department of Defense (DoD) visual information within does not imply or constitute DoD endorsement.



DECONTAMINATION


DECONTAMINATION SHOWERS

DQE decontamination showers give responders the ability to scale their efforts to the appropriate level. From the highly durable Indestructo® shower for field decon to the privacy of the Standard Decontamination Shower, DQE has an assortment of decon options for a variety of situations and needs.

DQE proudly manufactures all of its decontamination showers in the USA.



9 WAYS TO DECON CHOOSE YOUR PERFECT DECON EQUIPMENT





Indestructo® Decon Shower System

This virtually indestructible decontamination shower is designed for responder decon in rugged field conditions. The shower is constructed of highly break-resistant ABS pipes and fittings, with specially designed shower heads to maximize durability. The Indestructo meets the flow rates, spray pattern, and other performance characteristics set by the ANSI/ISEA 113-2013 standard. System includes: Indestructo Decon Shower, handheld sprayer with 8' hose, vinyl carry bag, mesh carrying bags for wind screens, ground straps and stakes, Collection Pool, and Double Layer Elevation Grid.

HMK70000	Indestructo Decon Shower System
HM7000	Indestructo Shower only (no Pool or Grid)
HM1085	Indestructo Pool only

Shower Features:

- Unique quick-connects for fast assembly
- Five easy-clean shower heads, plus an independent hand-held sprayer for thorough decontamination
- Two wind screens to reduce overspray
- Stores and transports in a vinyl carry bag
- Includes ground straps and stakes for use in high wind
- Approximate set-up time: 2-3 minutes (based on one trained responder)

System Specifications:

Shower

- Total output: 21 gpm (4.2 gpm per shower head)
- Dimensions: assembled - 42" x 34" x 90"; unassembled - 48" x 16" x 16"
- Weight: 35 lb.
- Single water inlet: standard garden hose

Pool

- See *Indestructo Pool - 4' x 4' x 6' HM1085, page 11*

Elevation Grid

- See *Elevation Grid HM1023, page 15*



Quick Response® Shower System

Designed for field response, the Quick Response Shower is durably constructed to withstand frequent training, and compact enough to fit in a portable carry bag. The Quick Response Shower meets the flow rates, spray pattern, and other performance characteristics set by the ANSI/ISEA 113-2013 standard. System includes: Quick Response Shower, vinyl carry bag, ground straps and stakes, Compact Collection Pool, and Double Layer Elevation Grid.

HMK3101A	Quick Response System with Aluminum-frame Compact Collection Pool and Grid
HMK3101S	Quick Response System with Steel-frame Compact Collection Pool and Grid
HM3000C	Quick Response Shower only (no Pool or Grid)

Shower Features:

- Unique quick-connects for fast assembly
- Four easy-clean shower heads plus an independent hand-held sprayer for thorough decontamination
- Vinyl carry bag for shower storage and transport
- Approximate set-up time: 2-3 minutes (based on one trained responder)

System Specifications:

Shower

- Total output: 16.8 gpm (4.2 gpm per shower head)
- Dimensions: assembled - 35" x 45" x 90"; unassembled - 49" x 16" x 10"
- Weight: 45 lb.
- Single water inlet: standard garden hose

Pool

- See *Compact Collection Pool - 4' x 4' HM1044, page 10*
- See *Elevation Grid HM1023, page 15*



DQE DECON SHOWER QUALITY GUARANTEE

We stand behind the quality of DQE decontamination showers. Our decon showers carry a lifetime warranty against manufacturing and material defects. We offer one free replacement part over the life of any shower we manufacture (part code from product insert required).




DECONTAMINATION

Standard Decontamination Shower System

The "Standard" in portable decontamination showers, this system is the leading stand-alone solution for victim decon. The newly updated Standard Decon Shower meets the flow rates, spray pattern, and other performance characteristics set by the ANSI/ISEA 113-2013 standard. System includes: Standard Decon Shower with two vinyl carry bags, Standard Collection Pool (4' x 8'), and two Elevation Grids (3' x 2' x 5.5").

- HMK1101A** Standard Shower System with Aluminum-frame Standard Collection Pool and Elevation Grids
- HMK1101S** Standard Shower System with Steel-frame Standard Collection Pool and Elevation Grids
- HM1001C** Standard Shower only with Enclosure (no pool or grids)
- HM1001CB** Shower only (no pool, enclosure, or grids)
- HM1055** Replacement Shower Enclosure



Shower Features:

- Unique quick-connects for fast assembly
- Fully collapsible design
- Four easy-clean shower heads plus an independent hand-held sprayer
- Durable, chemical-resistant shower enclosure
- Translucent roof panel to allow light into shower for safety
- Shower stores and transports in two vinyl carry bags

System Specifications:

- Shower**
- Total output: 16.8 gpm (4.2 gpm per shower head)
 - Dimensions: assembled – 42" x 36" x 84"; unassembled – 74" x 27" x 27"
 - Weight: 104 lb.
 - Water inlet: standard garden hose
- Pool**
- See *Standard Collection Pool - 4' x 8' HM1048, page 10*
- Elevation Grids**
- See *Elevation Grid HM1023, page 15*



VIEW VIDEO

Key Features and Assembly Process
dqeready.com/StandardDeconShower

MasCas® II Decontamination Shower System

The MasCas II Decontamination Shower is the optimal portable solution for efficient mass decontamination involving fully, semi-, and non-ambulatory victims. The decon shower deploys quickly and easily in either a 2- or 4-stall configuration with fast quick-connect fittings. Multiple individuals may decontaminate simultaneously with vinyl privacy dividers separating each stall. Fine-tune the spray direction with adjustable, quick-clean spray nozzles. The handheld fan sprayers can be used inside the end shower stalls or outside the shower for increased versatility during mass decon.

The MasCas II is constructed of the same polymer materials that are used in the Indestructo Decon Shower System. This specialized material is highly durable yet lightweight, for ease of portability to the HazMat decon setup area. The shower design is fully collapsible for compact storage and transport in only two vinyl carry bags. System includes: MasCas II Shower, Flexible Containment Pool, four Elevation Grids, one red "DECON" flag with pole, and vinyl carry bags.

- HMK4201** MasCas II Shower System
- HM4200** MasCas II Shower (no pool or grids)
- HM4205** MasCas II Single Stall Conversion Kit



Set up in a 2-stall or 4-stall configuration.

Backboard and sawhorses not included.

Shower Features:

- Six easy-clean shower heads per stall
- Two hand-held fan sprayers with independent shut-off
- Standard garden hose water inlets: 2-stall configuration - one inlet; 4-stall configuration - two inlets
- Color-coded shower frame parts to simplify assembly
- Approximate set-up time: 5-6 minutes (based on two trained responders)
- Meets the flow rates, spray pattern, and other performance characteristics set by the ANSI/ISEA 113-2013 standard

System Specifications:

Shower

- Water output at 80 psi (1.3 gpm per shower head): Single stall = 7.8 gpm; 2-stall = 15.6 gpm; 4-stall = 31.2 gpm
- Assembled Dimensions: 4-stall - Height: 83", Depth (entry to exit): 41", Width: 120"; 2-stall - Height: 83", Depth (entry to exit): 41", Width: 62"
- Five stall partition screens
- Two ground straps and stakes
- Two Water Pressure Regulators
- Four Brass Shutoffs

Pool

- See Flexible Containment Pool - 4.75' x 12' x 6" HM1047D, page 11

Elevation Grids

- See Elevation Grid HM1023S, page 15

DECON SHOULD BE SIMPLE

Why endure cumbersome decontamination shower systems that take forever to set up? Simplify decon with DQE shower systems.

FAST ASSEMBLY

The camlock fittings on the shower pipes make assembling showers quick and simple.



EFFORTLESS CLEANING

The shower heads are cleaned easily after an event. Just unclamp the shower head from the pipe and unscrew the nozzle.



EASY TRANSPORT

DQE portable shower systems come with durable vinyl carry bags with drainage holes that provide clean storage and easy transport.





DECONTAMINATION

Easy Roller™ Non-Ambulatory Decon System

Easily decontaminate non-ambulatory patients. Four independent rollers mount to the pool frame in seconds and allow a backboard to pass over the pool with minimal effort. System includes Standard Collection Pool, four stainless steel rollers, safety stops, and vinyl carry bag for rollers.



HMK11045A

Easy Roller System with Aluminum-frame Standard Collection Pool

HMK11045S

Easy Roller System with Steel-frame Standard Collection Pool

HM1045

Rollers only, includes vinyl carry bag

System Specifications:

Pool

- Dimensions: unfolded - 48" x 96" x 14"; folded - 48" x 14" x 14"

Easy Rollers (4)

- Dimensions: each - 49" long; in storage bag - 52" x 8" x 8"
- Weight: 37 lb.
- Load capacity: 300 lb.

Easy Roller™ Upgrade **HM1045**

Designed exclusively for the DQE 4' x 8' Standard Collection Pool (steel or aluminum).

Purchase if you already own a Standard Collection Pool (HM1048).



Backboard not included.

Decono® Shower **HM2000**

A cost-effective, ultra-light alternative to full-size showers. Designed for limited-space, tactical or field applications. Top shower head can be used independently or together with boot wash to provide thorough decontamination. Includes a vinyl carry bag for transport and storage.



Shower Specifications:

- Total output: 5 gpm (2.5 gpm per shower head)
- Dimensions: assembled - 87" x 57" x 26"; unassembled - 12" x 22" x 41"
- Weight: 16 lb.
- Water inlet: standard garden hose
- Approximate set-up time: less than 2 minutes (based on one trained responder)



SHOWER REPLACEMENT PARTS AVAILABLE!

We know that sometimes accidents happen, so we offer replacement parts for all our DQE decontamination showers.



Decon in a Bag® HM6000

Everything you need to perform gross field decontamination in one convenient vinyl carry bag. Ideal for responders and facilities with limited HazMat resources. Removing and bagging the victim's clothing removes over 80% of the contaminants and minimizes the risk of spreading the toxic agent to others after exposure to a hazardous chemical, radioactive contamination source, or terrorist attack.

Each Kit Contains:

- Heavy-duty vinyl carry bag
- Decon Wand
- Compact Water Supply Hose (50')
- Splash Protection Kit - 2XL (2)
- Don-It® Personal Privacy Kit for victims (4)
- Collection bags for contaminated clothing (4)
- Decon Shower Sponge
- Liquid soap
- Waterproof decontamination instructions

Decon Wand HM6006

The perfect accessory to easily expand your existing system or use alone for small-scale decon procedures. Simply connect this hand-held device to a standard garden hose and you are ready to begin. Wand disassembles into two pieces for compact storage and assembles with quick-connect coupling. Valve allows for shutoff and water flow adjustment.



Specifications:

- Total output: 2.5 gpm
- Dimensions: assembled – 44.5" x 6" x 2.5"; unassembled – 25" x 6" x 2.5"
- Weight: 3 lb.

K-9 Decon Kit HMK901

Working dogs have the potential to come into contact with a variety of harmful contaminants. Reduce the effects of contamination by cleaning your canine at the scene. This portable, affordable kit includes everything you need to clean your canine and protect yourself from cross-contamination.



Each Kit Contains:

- Flexible Containment Pool (30" x 30" x 4" unfolded)
- Compact Water Supply Hose (50')
- Fan Spray Nozzle
- Splash Protection Kit
- Liquid soap
- Four disposable Dry-it™ Towels
- Canine Decon Standard Operating Guidelines (SOGs)
- Vinyl carry bag



WATER COLLECTION

Pools, liners, barrels, and bladders for decon wastewater collection and leak containment.

Standard Collection Pool

The ideal collection pool for your decontamination equipment. This large volume framed pool is sturdy enough to support a victim on a backboard and can hold two DQE Standard Showers for dual decontamination. The pool folds for easy storage and features integrated carry handles for quick deployment. The heavy-duty, chemical-resistant liner is highly resistant to tears and punctures and can be replaced as needed. Each pool holds two Elevation Grids (*see page 15*).

- HM1048AB** Aluminum-frame Standard Collection Pool
- HM1048SB** Steel-frame Standard Collection Pool
- HM1050** Replacement Liner

Specifications:

- Dimensions: unfolded – 4' x 8' x 14"; folded – 4' x 14" x 14"
- Weight: aluminum frame – 47 lb., steel frame – 53 lb.
- Capacity: 300 gallon
- Material: 22 oz. chemical-resistant vinyl
- Handles for single or two person carry



Folds with straps for transport



Compact Collection Pool

Designed for use with all DQE single-stall showers, this pool is ideal for limited-space applications. The heavy-duty 22 oz. vinyl fabric is highly resistant to tears and punctures. These pools resist most low concentration decon wastewater and many non-volatile chemicals. Chemical resistance charts available upon request. Holds one Elevation Grid (*see page 15*).

- HM1044AB** Aluminum-frame Compact Collection Pool
- HM1044SB** Steel-frame Compact Collection Pool
- HM1051** Replacement liner

Specifications:

- Dimensions: unfolded – 4' x 4' x 14"; folded – 4' x 8" x 14"
- Weight: aluminum frame – 32 lb.; steel frame – 37 lb.
- Capacity: 150 gallon
- Material: 22 oz. chemical-resistant vinyl
- Handles for single- or two- person carry



Stores folded



Disposable Collection Pool **HM1049**

This Disposable Collection Pool is designed for single incident use. The pre-attached liner with double-wall cardboard frame sets up quickly and allows the unit to be simply folded up and discarded after the incident. The liner is made of heavy, UV-resistant polyethylene.

Specifications:

- Dimensions: unfolded, 5' x 5' x 13"; folded, 22" x 32" x 6"
- Weight: 11 lb.



Flexible Containment Pool

Economical collection pool for use in decon and spill operations. The heavy-duty 22 oz. vinyl fabric is highly resistant to tears and punctures, folds up compactly for storage, and can be decontaminated for reuse. These berms resist most low concentration decon wastewater and many non-volatile chemicals. Brass tie-down grommets in each corner and Velcro closure strap. Chemical resistance charts are available upon request. Standard listed sizes are available in 4" and 6" deep versions. *Speciality fabrics available for more volatile chemicals and deployment in extremely cold environments. Custom sizes and colors available.*

HM1040	30" x 30" x 4", 14 gallon capacity (Fiberglass rods in the berm lip)
HM1041	4' x 4' x 4", 36 gallon capacity (Fiberglass rods in the berm lip)
HM1042	5' x 5' x 4", 56 gallon capacity (Fiberglass rods in the berm lip)
HM1043	5' x 10' x 4", 122 gallon capacity (Angled support straps and embedded vertical stiffening pegs included)
HM1047D	4.75' x 12' x 6", 190 gallon capacity (Aluminum support brackets in side walls)



Indestructo Pool - 4' x 4' x 6' HM1085

The Indestructo pool features heavy-duty fabric which provides superior performance over standard PVC vinyl. The tough, 30 oz. material meets or exceeds several ASTM standards including cold temperature crack resistance down to -30°F (-34°C) with high burst, puncture, and abrasion resistance. The chemical resistance properties make it an ideal choice when managing petrochemicals, such as crude oil and jet fuels. The material is also resistant to a wide range of acidic compounds.



Foam Wall Containment Pool HM1081

Quick deploying collection pool for versatile use in decon and HazMat operations. This vinyl containment pool has sturdy foam side walls for durable containment of spills and decon runoff.

Specifications:

- Dimensions: 2.5' x 5' x 4"
- Fits under Equipment Decon Station (HM1080)
- Made of 22 oz. vinyl
- Weight: 8 lb.



Flexible Wastewater Tank

Fully collapsible wastewater bladder is convenient to use and folds flat for easy storage. Inlet sized for standard garden hose with 1.5" ball valve for drainage. Tank made of 22 oz. chemical-resistant vinyl. UV and mildew resistant. 4 PVC tie-down anchors. Pressure relief valve on top of tank. Custom sizes and potable water options are available.

HM150B	150 gallon - 48" x 60" x 12" (filled) - Weight: 16 lb. (unfilled), single inlet
HM1000B	1000 gallon - 144" x 84" x 24" (filled) - Weight: 37 lb. (unfilled), dual inlet



Decon Wastewater Barrel HM450

Closed-head drum constructed of high-molecular, FDA approved polyethylene. Crack-resistant walls are .087" thick. BPA-free. Will not rust or corrode.

Specifications:

- Dimensions: 23.25" x 34.75"
- Capacity: 55 gallon
- Weight: 21.5 lb.



DECON BRUSHES

Round Scrub Brush *HMS1521*

Multi-purpose stiff polyester bristled brush that can be used in suit and equipment decon. Bristle block dimensions - 5". Bristle length - 1.5".



Short-Handled Brush *HMS1522*

This short-handled, chemical-resistant brush is designed to fit your hand for easy cleanup. This highly durable brush is excellent for remediation and equipment decontamination. Stiff polyester bristles. Bristle block dimensions: 2.75" x 10". Bristle length: 1.6".



Tool Brush *HMS1523*

Stiff-bristled tool brush for decontaminating hard to reach surfaces. Excellent for cleaning respirators, helmets, monitors, or other HazMat equipment. Stiff polyester bristles. Bristle length: 1". Brush length: 11".



Decon Responder Brush *HM550*

Long-handled, stiff-bristled brush enables responders to thoroughly decontaminate equipment and protective suits prior to doffing. Natural bristles resist heat and acids. Fiber softens when wet. Bristle length: 2". Handle length: 20". Brush Area: 4" x 4".



Decon Shower Sponge *HM556*

Disposable, long-handled sponge allows victims to decon themselves gently and thoroughly. Total length: 21". Sponge size: 3" x 5".



Supersoft Decon Brush

Used for decontaminating skin or HazMat suits. Flow-thru capability. For use with either the Decon Brush Handle (HM544) or the Telescoping Flow-Thru Decon Brush Handle (HM545).



HM540

Supersoft Decon Brush - 8"

HM541

Supersoft Decon Brush - 10"

Chemical-Resistant Decon Brush

Used for decontamination of HazMat suits. Flow-thru capability. Has soft Nylex bristles that are gentle on protective gear, and are resistant to most acids and chemicals. For use with either the Decon Brush Handle (HM544) or the Telescoping Decon Brush Handle (HM545). Bristle color may vary.

HM542

Chemical-Resistant Decon Brush - 8"

HM543

Chemical-Resistant Decon Brush - 10"



Decon Brush Handle *HM544*

60" handle for use with DQE brush heads. Standard duty fiberglass 15/16" pole handle.



Telescoping Flow-Thru Decon Brush Handle *HM545*

For use with decon brush heads. Length extends from 34" to 62". Flow-thru capability has water on/off switch. Has soft grips for comfortable handling.



DECON ACCESSORIES

Compact Water Supply Hose HM202

Lay-flat hose that collapses and rolls for easy, compact storage. Includes waterproof mesh storage bag to contain hose coil, while allowing for faster drying. Constructed of flat woven, single jacket 100% filament polyester over polyurethane liner. Hose size: 0.625". Bowl size: 0.625" GHT. Length: 50'. Weight: 1.25 lb. Working Pressure: 150 PSI. Burst Pressure: 600 PSI.



Wastewater Hose HM1065

Red 25' heavy-duty hose connects to both DQE's electric and manual water pumps and directs contaminated water to wastewater container. 1/2" i.d. with a standard garden hose fitting. Custom lengths available.



Water Supply Hose HM200

Made of a chemical-resistant PVC compound that is UV and weather resistant and has excellent cold weather flexibility. Fits all DQE decontamination showers. Easily re-coiled after use. Grey 50', heavy-duty hose. Service temperature range: -15°F (-26°C) to 150°F (65°C). 1/2" i.d. with a standard garden hose fitting. Custom lengths available.



Fire Hose Reducer Coupling with Hose

Reduces a 1.5" or 2.5" NHT fire hose to one standard male garden hose fitting. Includes pressure-limiting valve and 8' heavy duty garden hose. Contact us for additional hose length and adapter options.



HM208

Reducer Coupling with Hose - 1.5"

HM208-25

Reducer Coupling with Hose - 2.5"

HM210

Reducer Coupling - 1.5"

HM210-25

Reducer Coupling - 2.5"

Water Pressure Regulator HM212

Helps protect connected equipment from excessive supply pressure by reducing downstream pressure to 40-50 psi. Regulator's max. input pressure 125 psi.



Electric Water Pump HM1060

Pumps water from water source to a containment device. Uses standard garden hose. 115 V, 19 gpm maximum output (using a 25 ft. hose). 10 ft power cord. Extension cord sold separately.



Extension Cord HM1070

3-outlet 12/3 extension cord. Length: 50'. Cord is water and flame resistant. Light connector indicates when power is on. Features three outlets on a triple tap from one cord. 12 gauge, 3 prong cord features flexible vinyl jacket with a cold temperature rating from -58°F to +140°F. Rated 15 A/125 V/1875 W.



Manual Water Pump HM1061

Foot-activated operation. Chemical-resistant Neoprene diaphragm and Delrin body. Comes complete with two 6' lengths of heavy-duty hose. Solid brass, standard garden hose fittings. Total output: 10 gpm.



Fire Hose Reducing Manifold RV100

Constructed of schedule 80 PVC piping and durable brass spigots, this manifold reduces a 1.5" fire hose down to four .75" standard garden hose spigots. Connects to fire hose using attached alloy swivel NHT adapter. Additional adapter options available.



Grip-and-Spray Nozzle HM213

Compact and lightweight spray nozzle with single hand operation. Adjustable twist water control adjusts to a forceful stream, to broad spray, to off. Rubber clad contour grip, over a metal core. Brass spray tip with high-visibility yellow collar. Compatible with all DQE decon shower systems. Standard garden hose connection.



Fan Spray Nozzle HM214

Hand-held broad fan drenching nozzle with less forceful drenching spray, more suitable for exposed or sensitive body areas. Compact and lightweight, single hand operation with shut off lever. Rubber clad contour grip over metal core with stainless spray screen. Compatible with all DQE decon shower systems. Standard garden hose connection.





DECONTAMINATION

DECON ACCESSORIES



Responder Stability Cane **HM800**

Assists response personnel during the decontamination process by providing a support to lean on. Allows responders to navigate a decon area safely. It is especially helpful when washing lower extremities and the soles of feet. Made of sturdy, high-density, industrial-grade PVC. Self-standing unit has low center of gravity and resists tip over. Stable legs with skid-resistant rubber feet that resist slipping in wet environments. Dimensions: Base - 12.5" x 12.5", Height - 38.5".

Responder Stability Cane in use.



Decon Utility Stool **HM805**

A quick and convenient way to introduce a seating option during the decon process. Integrated bucket provides storage for soap, brushes, sponges, and other decon items. Stool made of sturdy, high-density, industrial-grade PVC. Rubber bucket is highly chemical resistant. Bright orange feet for increased visibility among other tools. Sturdy cross-legs and moderate height provide stability while seated. Dimensions: base 21", height 23", seating surface 13" dia.



Economy Ground Tarp **HM1030**

Provides splash protection for the decon area and protects pool bottoms from abrasion and puncture. Made of 3 oz. woven polyethylene. Dimensions: 16' x 20'.



Equipment Protection Mats **HM1031**

Use under elevation grids and decon pools to protect pool liners. Provides a clean protected area to lay equipment, tools, and supplies during an emergency response event. 12 mil polyethylene. Dimensions: 36" x 36". Box of 5.



Zone Tarp

Designates zones in a decontamination corridor, triage, or other response areas. 14 oz. tarp fabric is resistant to cold weather, fraying, and tearing. Waterproof with built-in UV protection. Dimensions: 12' x 12'. 14 oz. vinyl-coated polyester. Tear and mildew-resistant. Rust-resistant brass grommets every 2' along all the edges and at corners. *Additional colors, sizes, and vinyl weights are available.*

- HM1035** Zone Tarp - Blue
- HM1036** Zone Tarp - Red
- HM1037** Zone Tarp - Yellow
- HM1038** Zone Tarp - Green
- HM1039** Zone Tarp - Black



Sack-it™ Clean-Up Dispenser

Convenient and portable, this system allows contaminated clothing, linens or waste to be collected, contained, and identified. Kit includes a folding bag holder and a box of 20 super-thick, 3-mil bags with draw-cord closure. Dispenser dimensions: Open - 19" x 26" x 27"; Folded - 19" x 8" x 33". Bag includes writing space for listing contents.

- HM375** Sack-it Clean-Up Dispenser Kit
- HM380** Replacement Bags - Box of 20



Dry-it™ Disposable Towels **HM705**

The "it" is up to you!

Soft enough for skin, strong enough for spills, these versatile, disposable towels are made of soft, absorbent material and are ideal for drying victims after decontamination. Bath-towel size (19" x 42") and extra absorbency mean they're great for clean-up. Easy-to-use dispenser box makes towels simple to store and transport. 100 towels per roll.



Disposable Washcloths **HM706**

Soft, disposable washcloths for use during decontamination. Dimensions: 10" x 10". Box of 40.

Decon Elevation Grid

Prevents responders from standing in contaminated water. Constructed of durable high-density polyethylene. Wide and flat rubber feet protect pool liners and improve stability on uneven surfaces.

HM1023S	Single Layer - 3' x 2' x 2.8"
HM1023	Double Layer - 3' x 2' x 5.5"

**Sandbag HM1075**

Sandbags help to stabilize equipment and ground tarps in windy conditions. Dimensions: 8.5" x 10" x 2". Weight: 5 lb. Pre-filled. Heavy-duty vinyl sealed. Attached carry handle. Hook strap to secure to equipment.

**Storage Bin**

Extra-large storage for personal protection equipment and supplies. High-density polyethylene with attached hinged cover opens and closes easily for ready access. Hand grips for carrying; grid bottom for extra traction. Openings for lid security locks.

HM250	28" x 21" x 15" (Capacity: 3.6 cu. ft.)
HM255	34" x 24" x 20" (Capacity: 6.1 cu. ft.)

**Safety Seals RP700**

Securely deters entry, yet is easily removed. Each plastic security seal has 30 locking positions. Self-locking plastic seal - no tools required. Box of 20.

**Emergency Warming Blankets**

Ultra-light, compact Mylar blanket retains body heat for emergency warming, especially when combined with the disposable blanket (MC4009). Packaged in a pocket-sized 3" x 5" x 1" wrapping with instructions in both English and Spanish. Unfolded 55" x 82".

HM701B	Pack of 5
MC4023	Box of 25

**Blankets MC4009**

Warm, economical blankets for emergency response use. Composition: 100% polyester. Dimensions: 40" x 80", grey, lightweight blanket. Individually wrapped. Box of 25.

**Decon Clothes Bucket with Lid HM350**

Prevents cross-contamination and secures personal items. Meets standards for collecting and containing waste items such as contaminated clothing and towels. Diameter: 11.25". Height: 14.125". Capacity: 5 gallon.

**Decon Sprayer**

Easily apply soap solutions or disinfectant to responders or equipment surfaces. Lightweight with shoulder strap. Pressure relief valve. No-spill funnel top. Adjustable nozzle sprayer.

HM6210	2 Gallon
HM6211	1 Gallon

**Zone Tape**

Zone Tape creates a barrier to identify zones in a HazMat event. The tape is lightweight but strong enough to be reused many times. Deploy rapidly by wrapping around trees, poles, and barrels; or it can be secured to walls or barricades. The hot zone is where the contaminated area is located. The warm zone is where the decontamination area is located. The cold zone is for post-decon treatment or the command post. 500 ft roll.

HM4071	Hot Zone Tape
HM4072	Cold Zone Tape
HM4073	Warm Zone Tape

**Zone Tape Dispenser HM408**

Dispenser virtually eliminates problems with dispensing barricade tape. Easy unroll tape without tangling or dropping the roll. A built-in cutting edge conveniently cuts tape to the desired length. Holds 500 or 1000 ft rolls of 3" wide barricade tape.

**Barricade Tape**

Secures area during a HazMat incident.


HM405	"Hazardous Materials. Do Not Enter" - 3" x 500'
HM415	"Caution" - 3" x 500'
HM416	"Caution" - 3" x 300'





PERSONAL PRIVACY

Prompt removal of victims' clothing can immediately eliminate over 80% of the contaminating agents from a hazardous materials incident. DQE personal privacy kits give victims an easy way to ensure modesty before, during, and after decontamination.



DOFF-IT.

Doff-it® Personal Privacy Kit – Adult

The “original” kit designed to reduce victim objections to clothing removal for decontamination. The Doff-it’s large over-garment lets hazardous material exposure victims disrobe while remaining completely covered. Disrobing stops more contamination from reaching a victim’s skin and reduces the inhalation hazard arising from off-gassing of volatile chemicals. Excellent for field decontamination in mass casualty incidents. Each sealed kit contains a Doff-it personal privacy garment (fits size XS to 3XL), collection bag for contaminated clothing, clear zipper-seal plastic bag for personal valuables, foot covers, absorbent hand towel, and pen.

- HMDOFFIT** Individual kit
- HMDOFFBX** Box of 20 kits

Doff-it® Personal Privacy Kit – Youth

Identical to the Doff-it Personal Privacy Kit for adults, but with a youth-sized overgarment and foot covers for victims from 5 to 12 years old.

- HMDOFFIT-Y** Individual kit
- HMDOFFBX-Y** Box of 20 kits

5 EASY STEPS FOR USING DOFF-IT PERSONAL PRIVACY KITS

Provides privacy while removing contaminated clothing

- 1** Remove overgarments and any other clothing that doesn't compromise privacy. Place these items in the provided orange bag.
- 2** Place white Doff-it gown over clothing.
- 3** Remove personal items and valuables and place them in the outer red bag. You will keep this bag with you.
- 4** Bring arms inside of the Doff-it and undress. Remove all clothing and place it in the orange bag. Cover feet with foot covers.
- 5** With the pen, write your name on both bags. Use the towels to wipe away any residue on your skin. Await further decontamination instructions.





DON-IT.



Don-it® Post-Decon Privacy Kit – Adult

While Doff-it provides privacy before decontamination, the Don-it kit is the “original” post-decon kit that ensures the same privacy and protection from exposure to cold after soap and water showering. Each sealed kit includes a Don-it personal privacy garment, foot covers, drying towel, emergency warming blanket, and brush, all in a compact package.

HMDONIT	Individual kit
HMDONBX	Box of 20 kits

Don-it® Post-Decon Privacy Kit – Youth

Identical to the Don-it Post-Decon Privacy Kit for adults, but with a youth-sized overgarment and foot covers for victims from 5 to 12 years old.

HMDONIT-Y	Individual kit
HMDONBX-Y	Box of 20 kits

5 EASY STEPS FOR USING DON-IT PERSONAL PRIVACY KITS

Provides privacy after soap & water showering

- 1 Complete a soap and water decontamination procedure.
- 2 After decon showering, dry off using the supplied towel.
- 3 Put on the Don-it gown and foot covers before leaving the shower area.
- 4 Always follow instructions about where to proceed for further treatment, if any.
- 5 The thin, silver Mylar blanket provides comfort and protection in low temperatures.



Heavy Duty Privacy Screen

MC5032

Large, 5' x 5' portable privacy screen with a quick and easy setup, a durable, industrial-grade PVC support structure, and sturdy 10 oz. vinyl screen that's built to withstand repeat uses. Includes water-repelling, urethane-coated, nylon bag with barrel lock closure and carry handle. Sets up quickly and has a vinyl panel that is easily cleaned. Some assembly required.

Specifications:

- PVC frame dimensions: 66" H x 62.5" L
- Weight: 12 lb.
- Fully non-sparking (can be taken into the Hot Zone)
- Easy to decontaminate - let air dry after cleaning
- Chemical resistant and biohazard impervious
- Screen surface is antimicrobial, anti-fungal and anti-mildew
- FR rated, UV-resistant, and lead-free fabric
- Compact storage size: 64" x 5" dia.



HAZMAT RESPONSE

HAZMAT RESPONSE

DQE applies the experience and insight of HazMat responders and industry professionals in developing and selecting response tools for containing, controlling, and cleaning up.



Non-Sparking Tool Kit *HMS1560*

Tool kit for first responders and clean-up crews. Non-sparking, corrosive-resistant tools for high-risk environments. Packaged in a convenient carry bag. Tools also available separately.

HMS1561	Non-Sparking Bung Wrench	HMS1567	Non Sparking Putty Knife
HMS1562	Non-Sparking Pipe Wrench	HMS1568	Non Sparking Knife
HMS1563	Non-Sparking Adjustable Wrench	HMS1569	Non-Sparking Pry Bar
HMS1564	Non-Sparking Pliers	HMS1570	Non-Sparking Chisel
HMS1565	Dead Blow Hammer	HMS1571	Non-Sparking Pail Opener
HMS1566	Non-Sparking Wire Brush		

Non-Sparking Crow Bar

High strength nickel aluminum bronze alloy Non-Sparking Crow Bar for use in hazardous or flammable environments. Available in lengths: 18", 24", 30", 36".

HMS1576-18	18" bar
HMS1576-24	24" bar
HMS1576-30	30" bar
HMS1576-36	36" bar



Non-Sparking Deck Scraper *HMS1574*

High strength nickel aluminum bronze alloy Non-Sparking Deck Scraper for use in hazardous or flammable environments. Beryllium-free. Blade width: 1-1/2". Overall Length: 15". Can be re-sharpened.



Non-Sparking Pike Pole

Use the pole hook to pull things directly from flames and high heat. Non-sparking, non-magnetic, and corrosion-resistant. High strength nickel aluminum bronze alloy pike head fiberglass pole available in two lengths: 72" and 96".

HMS1577-72	72" pole
HMS1577-96	96" pole
HMS1578	48" pole, D-grip handle



Non-Sparking Crash Axe *HMS1575*

Designed specifically for its non-sparking capabilities, this Crash Axe is an essential all-in-one, multi-functional HazMat Responder safety tool. This axe provides the utility of a crash axe, hydrant wrench, spanner wrench, pry bar, hand pick, and gas shut-off. Includes a leather head wrap for storage.



HazMat Tool Sash *HMS1580*

A DQE original, the HazMat Tool Sash is the most practical way to carry tools into the hot zone. Constructed of 22 oz. vinyl, the sash is highly durable but flexible for versatility. With a 68" long, 2" wide adjustable nylon strap and heavy-duty clips and quick release, it easily fits over personal protective gear.



Non-Sparking Pail *HM355*

A chemical-resistant, non-sparking bucket for use in the hot zone. Transport tools and supplies into chemically-contaminated zones with confidence. 10 qt fiber reinforced rubber bucket with non-sparking handle. Dimensions: 10.5" diameter, 12.5" tall.



Tool Bag Combo Set *HMS1572*

Canvas tool storage bag combo set for tool organization. Large size 14" x 5.5" x 6" and small size 12" x 4.5" x 5.5". Both bags feature nylon reinforced bottom panels and rugged web handles to support hand tools.





Flexible Containment Pool

Economical collection pool for use in decon and spill operations. The heavy-duty 22 oz. vinyl fabric is highly resistant to tears and punctures, folds up compactly for storage, and can be decontaminated for reuse. These berms resist most low concentration decon wastewater and many non-volatile chemicals. Brass tie-down grommets in each corner and Velcro closure strap.

Flexible sidewall pools are intended to temporarily contain shower runoff or other HazMat fluids until transferred to an appropriate containment vessel. These pools should not be filled beyond 2/3 of their sidewall height. Chemical resistance charts are available upon request. Standard listed sizes are available in 4" and 6" deep versions. *Specialty fabrics available for more volatile chemicals and deployment in extremely cold environments. Custom sizes and colors available.*

HM1040	30" x 30" x 4", 14 gallon capacity (Fiberglass rods in the berm lip)
HM1041	4' x 4' x 4", 36 gallon capacity (Fiberglass rods in the berm lip)
HM1042	5' x 5' x 4", 56 gallon capacity (Fiberglass rods in the berm lip)
HM1043	5' x 10' x 4", 122 gallon capacity (Angled support straps and embedded vertical stiffening pegs included)
HM1047D	4.75' x 12' x 6", 190 gallon capacity (Aluminum support brackets in side walls)



Overpack Containers

These overpack containers can be used for damaged or leaking drums, collection and transport of used sorbents, and containment of hazardous solids. Constructed of 100% blow-molded high-density polyethylene with UV inhibitors for superior strength and chemical resistance. Incinerates completely. Nestable for ideal storage. Passes 3 psi pressure test. Designed for solids or inner packaging only - no free liquids.

HMS1795	95 gallon
HMS1765	65 gallon
HMS1720	20 gallon




Spill Kit - 5 Gallon **HMS1400C**

Complete 5 gallon spill kit for safe, quick containment of incidental spills. Absorbency: Up to 4.6 gallons (17.4 L) per package. Packed in a DOT-approved 5 gallon container.

Kit Includes:

- Five gallon overpack container
- HazMat heavyweight sonic-bonded pads (10)
- HazMat sorbent socks (2) - 3" x 4'
- Disposable bags & ties (2)
- Tamper-proof seals (6)
- Pair of nitrile gloves
- Pair of safety goggles
- Vinyl spill kit label



Absorbent Pads - Universal **HMS1601**

Economical, general purpose absorbent pads. Universal in nature so it absorbs basically all fluids - water, petroleum and chemical-based. Efficient single-ply construction. Each gray pad is 15" x 19". 44 gallons absorbed per bale.



HAZMAT RESPONSE



Universal Leak Control Kit

Designed to control leaks from punctures, corrosion, seam cracks, and more. The variety of included plug and patch tools are useful regardless of surface contour and shape of hole. Kit features screw and "T" patches, ball and taper surface plugs, epoxy putty, lead wool, barrier tape, wood wedges, and all necessary tools and hardware.

HMS1501 Universal Leak Control Kit "AE"

HMS1501NS Universal Leak Control Kit - Non-Sparking Tools "AE-NS"



DQE carries the full line of Edwards & Cromwell Spill Kits. Replacement parts available.

Pipe Plugger Kit "C-1" HMS1502

Everything you need to control a leaking pipe. Plug leaking gas meters, tank truck valves, water pipes, and hundreds of other uses. No complicated procedures required and no additional tools needed.



Drum Repair Kit "D"

Contains components to repair punctures, cracks, gashes or surface corrosion in almost any type of low pressure container.

HMS1503 Drum Repair Kit "D"

HMS1503NS Drum Repair Kit - Non-Sparking Tools "D-NS"



Roll-Over Kit "F" HMS1504

A kit for large holes in tanker trucks or cars that do not require wrapping chains or cables around the vessel. Simply assemble, apply and conform.



Small Pipe Leak Kit "C-2"

A complete set of external pipe bandages covering nominal pipe sizes from 1/2" to 4".

HMS1505 Small Pipe Leak Kit "C-2"

HMS1505NS Small Pipe Leak Kit - Non-Sparking Tools "C-2 NS"



Large Pipe Leak Kit "C-3"

Contains 3 large patches covering 5", 6", and 8" pipes.

HMS1506 Large Pipe Kit "C-3"

HMS1506NS Large Pipe Kit - Non-Sparking Tools "C-3 NS"



Leak Control Kit with Offset T-Patches

Patch difficult holes, such as cracks close to the edge of tanks or supports, and cracks that toggle wings will not fit into.

HMS1507 Leak Control Kit with Offset T-Patches "A-1"

HMS1507NS Leak Control Kit with Offset T-Patches - Non-Sparking Tools "A-1 NS"



Wedges, Putty, and "Stop-It" Kit "WPS" HMS1508

Comprehensive leak patch kit includes patching tools, lead wool, plug rug, premix putty, wooden wedges and dowels, fix stix and stop-it pipe repair system, providing a complete response to any sudden and unexpected leakages.



First On Scene Kit "F-1" HMS1509

Stop leaks with this fuel tank repair kit. This kit assists responders first on scene to a tank leak. Designed primarily to repair a semi diesel fuel tank leak, this kit contains simple proven leak sealing items such as the wooden plug kit with a rubber mallet, four sticks of epoxy repair putty, five all-purpose absorbent pads, a can of Plug N' Dike, one football plug, and two golf ball expanding foam sealant plugs.



Foam Sealing Plugs

Water-activated polyurethane foam plug acts as a fast-acting leak sealant for chemical containment.

- HMS1500** Large, football shaped plug
- HMS1499** Small, golf ball shaped plug



Foam Plug in use.



Chlorine Institute Emergency Kits

When there is a chlorine leak in your facility, turn to the trusted Chlorine Institute's emergency kits. These kit supplies are labeled with part numbers, color coded, and stored inside a durable polyethylene kit box.



Shown: Emergency Kit "A" (HMS1496)

- HMS1496** Emergency Kit "A" - for US DOT 3A480 & 3AA480 100/150 lb. chlorine cylinders.
- HMS1497** Emergency Kit "B" - for US DOT 106A500X concave head chlorine one-ton containers.
- HMS1498** Emergency Kit "C" - for US DOT 105J500W & MC331 tank cars and tank trucks.



Versions available for Sulphur Dioxide containers as well as replacement gaskets and parts for all kits.


Indian Springs Emergency Response Kit (ERK) HMS1490

This multi-purpose tank-car kit fits a wide range of railcar housings, trucks, and stationary tank arrangements. It works on standard chlorine, sulfur dioxide, and ammonia housings. ERK has a lighter and more universal design with clamping jaws that afford for attachment anywhere on the housing ring. Kit supplies are labeled with a part number, color-coded green, and stored inside a durable polyethylene kit box.



Adjustable Dome Clamp HMS1450

A DQE exclusive, this dome clamp is unlike any other clamp in that its patented design is fully adjustable yet fast to install. It features a unique offset pressure plate, rather than one that falls in the center of the tank valve area. This optimized, off-center placement of the pressure foot creates an ideal relation to the primary point of the leak flow to stop leaks fast.



Dome Clamp in use.





SPILL REMEDIATION TOOLS

All of these products are tough, lightweight, and economical. Each hand tool is ergonomically designed to reduce strain when lifting and is chemical, corrosion, and spark resistant.



Hazards Cleanup Toolkit *HMS1510*

Grab and go with all of the tools you need for almost any type of spill. This kit's PVC, chemical-resistant vinyl duffel has carry handles and drain holes for easy decon after use. Brushes, brooms, shovel, and squeegee are non-sparking, with corrosion and chemical resistance.

Kit Includes:

- Duffel bag
- Two-Piece Safety Shovel (HMS1512)
- Push Broom Head (HMS15145)
- Long Handled Bench Brush (HMS1515)
- HazMat Squeegee Blade (HMS15165)
- Medium Bristle Brush (HMS1519)
- Large Scoop (HMS1518)
- Cleanup Broom Handle (HMS15175)
- Tool Brush (HMS1523)
- Equipment Protection Mats (HM1031)
- Absorbent Pads - Universal - Qty 10

Cleanup Broom Handle *HMS15175*

Polypropylene 40" utility handle for HazMat cleanup brushes & blades. Extra reach but manageable in tight spaces.



Push Broom - Head Only *HMS1514*

Broom head with 16" wide stiff and soft bristles. Connects to Cleanup Broom Handle (HMS15175).



HazMat Squeegee - Blade Only *HMS15165*

Polypropylene and rubber squeegee blade. Connects to Cleanup Broom Handle (HMS15175).



Medium Bristle Brush - Head Only *HMS1519*

Tank brush with 1.5" stiff black polyester bristles. Connects to Cleanup Broom Handle (HMS15175).





Equipment Decon Station System **HMK1080**

Decontaminate responder equipment thoroughly and easily with the Equipment Decon Station. At a working height of 36", this durable, portable decon station is ready whenever and wherever. Water runs through the grated table and is collected in the pool below. The station is set up by unfolding the containment pool and attaching the legs to the table.

Each System Contains:

- Decon table (2' x 4' x 3") with detachable legs
- Foam-wall Collection Pool - 2.5' x 5' x 4" (HM1081)
- Three brushes: 5" round, 3" x 10" short handle, and 1.5" x 10.5" utility
- Adjustable handheld sprayer
- Mesh carry bag for brushes and table legs



A BACK SAVER!

Easily clean equipment at this elevated decon station.

Compact Telescoping Shovel **HMS1511**

This compact shovel is ideal for spill kit applications as well as a wide variety of other uses. The shovel telescopes quickly, expanding from 24" to 36" and collapses for easy storage.



Two-Piece Safety Shovel **HMS1512**

This 14" wide, safety shovel is versatile, lightweight, and will not rust or corrode. The patented two-piece construction allows you to disassemble for easy storage.



Long-Handled Bench Brush **HMS1515**

Soft-bristle, long-handled brush for HazMat cleanup. Resin set long-handled brush with soft polyester bristles. Overall length: 13". Handle length: 7". Head dimensions: 1.5" x 6". Bristle height: 2.5".



Large Scoop **HMS1518**

Molded in one piece of thick-walled polypropylene, it's extremely durable and makes quick work of moving all kinds of bulk materials. Length: 15". Width: 6.5". Height: 3.5".





PERSONAL PROTECTION

CHEMICAL PROTECTIVE EQUIPMENT

We understand that personal protective equipment (PPE) must meet your individual needs and preferences. From EMS and law enforcement to firefighters and HazMat technicians, PPE needs to protect against the various hazards emergency responders confront. In addition to being the right protection level, PPE must be readily available, sized, configured, and packaged in the most convenient way possible.



HazMat Personal Protection Kit *HM4038*

The HazMat Personal Protection Kit contains a Lakeland ChemMax 3 Coverall, gloves, N95 protective mask, ChemTape, and goggles. This PPE kit shields responders directly involved in HazMat emergency response and decontamination. May require additional respiratory protection. Latex free. Available in sizes M-5XL.

Each Sealed Kit Contains:

- One laminated, multi-layer hooded coverall with sealed seams, and storm flap
- One pair of nitrile outer gloves
- One pair of nitrile exam gloves (2 sizes)
- One pair of vinyl overboots
- One pair of HazMat boot liners
- 8 pre-measured ChemTape® strips
- Non-vented goggles
- N95 protective mask



HazMat PPE Base Kit *HM4037*

The HazMat PPE Base Kit allows for customization to adjust for your needed level of protection while reducing sourcing, stocking, and deployment time. This kit includes a Kappler® Zytron® 200 coverall and the essential accessories to integrate your choice of outer gloves, footwear, and respiratory protection. Available in sizes S/M, L/XL, 2XL/3XL, and 4XL.

Each Sealed Kit Contains:

- One laminated, multi-layer hooded coverall with sealed seams, storm flap
- One pair of HazMat boot liners
- 8 pre-measured ChemTape® strips
- One pair of nitrile exam gloves (2 sizes)



Splash Protection Kit *PR325*

This PPE kit provides personal protection for support personnel during the patient decontamination process and decon area cleanup. Also provides protection during infectious disease outbreaks for medical support personnel. The suit has sewn seams that may require taping for proper blood/viral protection. Available in sizes M-4XL.

Each Sealed Kit Contains:

- One hooded coverall with sewn seams and integrated booties
- One pair of nitrile gloves (2 sizes)
- One pair of vinyl overboots
- Non-vented goggles
- N95 protective mask



On-Scene Protective Kit *HM311*

Ideal protection against hazardous dry particles, aerosols, and non-hazardous light liquid splash. The suit's breathable material allows for longer wear times and added comfort. Uses may include law enforcement CSI or security operations that are a safe distance from hazardous releases. Available in sizes M-4XL.

Each Sealed Kit Contains:

- One hooded coverall with sewn seams and integrated booties
- One pair of nitrile gloves (2 sizes)
- Non-vented goggles
- N95 protective mask



**DuPont™ Tyvek® 400 Coverall
HM1206**

Disposable Tyvek suit offers breathable protection against hazardous dry particles, aerosols, and non-hazardous light liquid splash. Hooded coverall features a respirator fit hood and integrated, slip-resistant booties. Elastic wrists, ankles, and waist. Sewn seams. Available in sizes M-4XL.



**DuPont™ Tychem® 4000 Coverall
HM1201**

Provides dependable and economical protection against a broad spectrum of hazardous chemicals and particles. Lightweight fabric made of Tyvek®, laminated with chemical-resistant Dow Saranex 23P film. Sealed seams and storm-flapped zippers. White for high visibility. Available in sizes M-4XL.



**DuPont™ Tychem® 2000 Coverall
HM1210**

This poly-coated suit provides personal protection for support personnel during the patient decontamination process and decon area cleanup. It also provides protection during infectious disease outbreaks for medical support personnel. Hooded coverall with sewn seams and integrated booties. Available in sizes M-4XL.



**DuPont™ Tychem® 5000 Coverall
HM1221**

Shields responders directly involved in HazMat response. One laminated, multi-layer hooded coverall with sealed seams. Front zipper closure with taped storm flap, elastic wrist, and integrated booties. Tychem® 5000 provides at least 30 minutes of protection against over 150 chemical challenges. NFPA and Berry compliant options available. Available in sizes S-4XL.



**DuPont™ Tychem® 10000
Level A Suit**

Fully encapsulated Level A suit that provides one of the broadest ranges of chemical protection available; successfully tested against more than 260 chemicals. Comes standard with extra-wide, three-layer face shield (PVC 40mil/Teflon® 5 mil/PVC 20 mil), attached internal Barriere® gloves, attached outer Viton® gloves, expanded back (accommodates SCBA), gas-tight zipper closure, double storm flap over zipper, attached hood, outer boot flaps, knee wear pads, two exhaust valves, and internal adjustment belt. Available in either front or rear entry. Available in sizes M-4XL. Includes canvas tote bag.

HM2102 Front Entry

HM2103 Rear Entry



DuPont™ Tychem® 6000 Coverall

Shields responders directly involved in HazMat emergency response and decontamination. On laminated, multi-layer hooded coverall with sealed seams, attached booties, and storm flap. Available in sizes S-4XL.

HM1219 DuPont™ Tychem® 6000 Coverall with Booties

HM1220 DuPont™ Tychem® 6000 Coverall w/o Booties



DuPont™ Tychem® 10000 Fully Encapsulated Training Suit

Economical HazMat training suit for hazardous materials exercise training. Clearly labeled "FOR TRAINING USE ONLY". Available in either front or rear entry. Available in sizes M-4XL. Includes canvas tote bag.

HM2102T Front Entry

HM2103T Rear Entry



Dupont™ Tyvek® 600 HM1209

Coverall Suit with serged and over-taped seams for protection and added strength. Features elastic wrists, thumb loops, zipper closure with taped flap, and respirator fit hood with taped neck flap. These disposable Tyvek suits are breathable for extended wear, yet are also fluid resistant, with an ideal balance of protection, durability, and comfort. Protection against infectious agents (EN 14126). Resistance to penetration by blood and body fluids (ISO 16603). Available in sizes: M-4 XL.



Inquire about larger made-to-order sizes, alternate styles, and configurations.



PERSONAL PROTECTION



Kappler® Zytron® 100 XP Coverall HM1225

Ideal for training use, this inexpensive and reusable hooded suit with attached booties provides splash protection for wet training drills and gives users the feel of full personal protective equipment. Purchase gloves, boots, and boot liners separately (see page 30). Available in sizes S/M, L/XL, 2XL/3XL, 4XL.



Kappler® Zytron® 200 Coverall HM1215

Shields responders directly involved in Hazardous Materials emergency response and decontamination. One laminated, multi-layer hooded coverall, sealed seam and storm flap, and integrated booties. Available in combination sizing: S/M, L/XL, 2XL/3XL, 4XL.



Kappler® Zytron® 300 Coverall HM1218

For rigorous activities and rugged situations involving liquid splash. Kappler® Zytron® 300 personal protective clothing shields responders directly involved in Hazardous Materials emergency response. One laminated, multi-layer hooded coverall with sealed seams, front zipper with Velcro closure, elastic wrist, and integrated booties with overflap. NFPA and Berry Compliant options available. Available in combination sizing: S/M, L/XL, 2XL/3XL, 4XL.



Lakeland ChemMax® 3 Coverall HM1217

Lakeland ChemMax 3 provides a durable and lightweight barrier against a broad spectrum of chemicals including the ASTM F1001 recommended list, chemical warfare agents, toxic industrial chemicals, fentanyl, and other harmful contaminants. The multi-layer film is applied to a heavy polypropylene non-woven fabric for increased strength and durability. Laminated, multi-layer hooded coverall with heat-sealed seams, front zipper closure with taped storm flap, elastic wrists, respirator fit hood, and integrated booties. Available in sizes M-5XL.



Kappler® Zytron® 500 Training Suit

Constructed with the same fabric as the full level A suits to provide the best simulation experience. The soft, pliable fabric increases comfort in extended wear situations, and when a wide range of motion is required. An expanded visor provides a large viewing angle area. Clearly labeled "FOR TRAINING USE ONLY". Front or rear entry versions available in two colors to support situations that require discretion (Charcoal) or high visibility (Hi-Viz Orange) in sizes S/M to 4XL.

HM2112TCH	Front Entry - Charcoal
HM2112TOR	Front Entry - Orange
HM2113TCH	Rear Entry - Charcoal
HM2113TOR	Rear Entry - Orange



Kappler® Zytron® 500 Vapor Level A Suit

Level A chemical protection with a minimum 8-hour holdout against hundreds of hazards including Chemical Warfare Agents (CWA). Sewn and double heat sealed/taped seams. 48" Gas-tight PVC Zipper and Double Storm Flaps with Hook and Loop Fasteners. Attached sock booties with splash guard boot flaps. 2N1 glove system that eliminates inner glove inversion Expanded view AntiFog visor system. Front or rear entry versions available in two colors to support situations that require discretion (Charcoal) or high visibility (Hi-Viz Orange) in sizes S/M to 4XL.

HM2112CH	Front Entry - Charcoal
HM2112OR	Front Entry - Orange
HM2113CH	Rear Entry - Charcoal
HM2113OR	Rear Entry - Orange




DuPont™ Bag for Level A Suits

Heavy Cordura canvas sidewalls. Imprinted with DuPont brand. Attachment point to seal bag zipper with inspection tag. Removable and adjustable shoulder strap extends up to 48". Bag dimensions: 21" x 19" x 8.5". Color-coded handles. Designed for use with DuPont Tychem 10000 suits, but may be used with other Level A and Level B suits.

HM2104	Red Handle - Level A
HM2104T	Yellow Handle - Training

POWDERED SUBSTANCE EXPOSURE PROTECTION

DQE's line of Sentry Shield personal protective kits have various levels of protection to shield law enforcement officers and first responders from powdered substances that could contain fentanyl, carfentanil, or other lethal opioids. Sentry Shield PPE is pre-packaged in kits for fast, grab-and-go protection packaged in the most convenient way possible. All components are available for individual bulk purchase.



Sentry Shield QP - Powdered Substance Defense Kit LE4020

The Sentry Shield - QP is a Quick Protection kit that provides protection when opioids may be present, but no opioid materials are visible. Each opioid PPE kit contains oversleeves and 12" extended cuff gloves that provide fast protection when a full coverall garment or HazMat suit isn't needed. The respirator mask and safety glasses give you added protection if an unknown powder becomes airborne. Box of 30 (6 packs of 5 kits).

Each Sealed Kit Contains:

- One pair of impermeable 18" protective oversleeves with welded seams and elastic openings
- N95 flat-fold respirator
- Indirect vent safety glasses
- One pair black nitrile 8 mil gloves - 12" long extended cuff, size XL, powder free
- Contaminated clothing bag
- Three warning labels "Possible Contamination with Unknown Hazardous Substance"



Sentry Shield SP - Powdered Substance Defense Kit LE4030

The Sentry Shield - SP is a Standard Protection kit that provides moderate protection where suspected small amounts of opioid materials may be present. Each opioid PPE kit contains a barrier protective garment and 12" extended cuff gloves. The respirator mask and safety glasses give you added protection if an unknown powder becomes airborne. Box of 20 kits.

Each Sealed Kit Contains:

- One impermeable protective gown with welded seams and thumb loops at cuffs
- NIOSH-approved, P100 respirator with exhalation valve, size: M/L
- Indirect vent safety glasses
- One pair black nitrile 8 mil gloves - 12" long extended cuff, size: XL, powder free
- Contaminated Clothing Bag
- Three warning labels "Possible Contamination with Unknown Hazardous Substance"



Sentry Shield EP - Powdered Substance Defense Kit LE4040

The Sentry Shield - EP is an Extra Protection kit that provides increased moderate protection where suspected opioid materials may be present. The full coverall kit with goggles P100 respirator and two pairs of nitrile gloves provides the greatest protection of all the Sentry Shield kits. For higher threat levels additional respiratory protection may be required.

Each Sealed Kit Contains:

- DuPont Tyvek 600 coverall with taped seams, neck flap, thumb loops, and respirator fit hood
- NIOSH-approved, P100 respirator with exhalation valve, size: M/L
- DuPont Tyvek Slip-Resistant Boot Covers, 18" high with elastic top
- Indirect vent safety goggles
- One pair black nitrile 8 mil outer gloves - 12" long extended cuff, size XL, powder free
- One pair blue nitrile 5 mil inner gloves - 9" long cuff, size L, powder free
- Contaminated Clothing Bag
- Three warning labels "Possible Contamination with Unknown Hazardous Substance"



PERSONAL PROTECTION

BLOOD AND VIRUS PROTECTION

Remain protected during infection control incidents and prevent the transmission of infectious agents with SafePaq® and SafePaq® Plus Blood & Virus Protection Kits. The breathable coverall material meets ASTM F1670/F1671 standards for blood and viral penetration resistance. The contents were chosen with special attention to their utility - for example, the coverall material is breathable to be more comfortable while working. Two thicknesses of gloves were chosen, so a heavier glove could be worn as an outer glove. The disposable apron can tear off from your neck for disposal, avoiding the need for having potentially hazardous scissors around for cutting the straps.



SafePaq® Blood and Virus Protection Kits *HM5911*

The SafePaq does not include head protection, so it's the PPE solution for users who plan to wear a PAPR for respirator protection. Additional head, face, and respiratory protection may be required. Available in sizes S-4XL. Contains: 10 individually-wrapped kits in a convenient dispenser box.

Each Sealed Kit Contains:

- One blood and fluid resistant coverall with taped seams, elastic wrists, thumb loops, zipper closure with taped flap, and integrated booties
- Two pair of 8 mil extended cuff nitrile exam gloves (2 sizes)
- One disposable apron
- One pair of overboots with vinyl-textured sole
- Two pairs of 5 mil nitrile exam gloves (2 sizes)
- Two germicidal wipes



SafePaq® Plus Blood and Virus Protection Kit *HM5912*

The SafePaq Plus includes head protection, for users who are not wearing a PAPR. Available in sizes S-4XL. Contains: 10 individually-wrapped kits in a convenient dispenser box.

Each Sealed Kit Contains:

- One blood and fluid resistant coverall with taped seams, elastic wrists, thumb loops, zipper closure with taped flap, and integrated booties
- Two pairs of 5 mil nitrile exam gloves (2 sizes)
- Two pairs of 8 mil extended cuff nitrile exam gloves (2 sizes)
- One disposable apron
- One pair of overboots with vinyl-textured sole
- One N95 mask
- One face shield with protective drape
- One protective hood
- Two germicidal wipes

COMPARING THE SAFEPAQ® AND SAFEPAQ® PLUS BLOOD & VIRUS PROTECTION KITS

SafePaq® Type	Blood & Fluid-Resistant Coverall	5 mil Nitrile Exam Gloves	8 mil Extended Cuff Nitrile Exam Gloves	Disposable Apron	Overboots	Germicidal Wipes	N95 Mask	Face Shield with Protective Drape	Protective Hood
SafePaq® <i>HM5911</i>	•	•	•	•	•	•			
SafePaq® Plus <i>HM5912</i>	•	•	•	•	•	•	•	•	•



StatPaq™ Standard Precautions Kits

Simplify caregiver protection with StatPaq - prepackaged standard precautions protection in a single, convenient kit, complete with a wall dispenser for "grab and go" use. The components of the kit are designed to protect clothing and encourage convenient use of standard precautions. Available in a dispenser box of 10 kits or a case of 6 dispenser boxes.

HM4911 Box of 10 individually-wrapped kits
HM4911C Case of 6 boxes

Each Sealed Kit Contains:

- One fluid-resistant, barrier protective gown
- 5 mil Nitrile Exam Gloves (2 sizes: S and L)
- Shoe Covers
- One N95 flat-fold, particulate respirator
- One pair indirect vent safety glasses



International Enviroguard ViroGuard® 2 Coverall **HM1212**

One laminated, multi-layer coverall with sealed seams, elastic wrists, thumb loops, zipper closure with taped flap, and integrated booties. Both material and seams pass ASTM F1670 and F1671 standards for blood and blood-borne pathogen protection. The material provides excellent breathability based on an independently verified high vapor transmission rate. The tough outer laminate layer resists tearing and abrasion damage better than soft microporous laminated alternatives. Available in sizes: S-4XL.



Kappler® ProVent® 10,000 Coverall

This blood and virus protective coverall has taped seams, elastic wrists, thumb loops, zipper closure with taped flap, and skid-resistant integrated booties. The microporous fabric technology provides impermeability protection along with breathability. The thumb loops keep the sleeves securely in place under gloves. The coverall material passes both ASTM F1670 blood penetration and ASTM F1671 viral penetration tests. Available in sizes S/M, L/XL, 2XL/3XL, 4XL.

HM1208 Kappler® ProVent® 10,000 Coverall
HM1207 Kappler® ProVent® 10,000 Hooded Coverall



Disposable Apron **HM1360**

Lightweight, disposable apron with poly-waist ties and a pullover neck loop. Neck straps have a tear-away neck loop for easy removal, avoiding the need for having potentially hazardous scissors around to cut the straps. Material: 1.75 mil Polyethylene - embossed. Size: 28" x 34 1/2". Latex free. Box of 100.



Heavy Duty Apron **HM1365**

This apron provides robust impermeable protection over primary PPE. Chemical, cut, tear, puncture-resistant apron with vinyl waist ties and pullover neck loop. Material: 8 mil PVC Vinyl. Size: 33" x 44 1/2". Latex free. Box of 12.



NanoBio® Protect **MC3000**

Applied with a cotton nasal swab to the skin inside and around the nose, NanoBio Protect kills germs on contact and continues to kill germs for 4+ hours after application. Active ingredient: Benzalkonium Chloride (0.13% solution). Each bottle contains 0.6 ounces of solution providing at least 40 treatments.

MC3000 Single 0.6 oz. bottle
MC3000-C Case of 36 bottles



DID YOU KNOW?

The average person touches his or her face and nose 23 times per hour.



BOOTS AND GLOVES

All HazMat boots provide extreme protection and excellent traction to ensure the wearer remains safe. DQE chemical-resistant gloves have various thicknesses available, so you can determine the protection level and tactile quality that best fits your needs.

HazMat Overboot *HM1250*

Stretch latex overboot is 12" in height and .6 mm thick. 100% waterproof with ribbed and textured sole. Available in men's sizes L (7-9), XL (10-12), and 2XL (13-16).



Vinyl Overboot *HM1260*

An extra layer of protection for various applications. Slip 15" high overboots on easily over most shoes and boots. Elastic top for a secure and snug fit. 100% waterproof. Available in men's sizes M (6-8), L (9-11), and XL (12-14).



Honeywell SF™ SuperFit Dual-Compound PVC Overboot *HM1252*

This latex-free boot features a highly durable injection-molded construction with tabbed grips and elastic loops. This one-piece design helps eliminate leaks. Slip resistant, self-cleaning outsole. Available in men's sizes M (9-10), L (11-13), and XL (14-15).



Knee-High Overshoe *HM1270*

Liquid-resistant, polycoated fabric shoe cover with vinyl-textured sole. Elastic top, 18" high overshoes. Material: Polycoated uppers. Vinyl sole. Elastic top and ankle. Available in sizes M - 13" long (shoe size 8-10) and XL - 16" long (shoe size 10-12).



HazMat Boot Liners *HM35350*

3mm thick inner boot liners provide added safety and a temporary barrier when doffing contaminated protective clothing. Box of 50 (25 pairs). Available in sizes L and XL.



Economy HazMat Boot *HM1253*

These Tingley Premier G2 Plain Toe Knee Boots are the perfect rigid-sole boot for low-level decon operations. Non-steel toe. 15" height. Available in men's whole sizes 9-12. Other sizes available via special order.



Tingley HazProof® Response Boot *HM1254*

Made of special polymer material, this comfortable boot meets the protective footwear chemical permeation requirements of *NFPA 2016 Edition for Chemical and HazMat Cleanup, Emergency Response And Domestic Preparedness*. Injection-molded, seamless construction for 100% liquid proof protection. Available in sizes 7-13.



Dunlop Hazmax® Knee Boots *HM1256*

Protective, chemical resistant, 16" high, steel toe boots for hazardous materials handling. One-piece, seamless, mold-injected PVC/Urethane construction that maximizes protection against chemical and electrical hazards. Available in men's sizes 6-15.



Dunlop Hazmax® EZ-Fit Boots *HM1255*

These 11" high, steel toe boots are designed for easy donning and doffing while wearing a chemical protective suit. EZ-fit boots feature a wider opening to assist in wearing protective coveralls with attached booties and large kickoff lugs for easy, hands-free removal. Available in men's sizes: S (6-8), M (9-10), L (11-12), and XL (13-15).



DuPont Tyvek Slip-Resistant Boot Cover *HM1271*

Slip resistant covers have Tyvek 400 FC material with skid-resistant coating. 18" high with serged bottom sole seam. Box of 50 pairs.



GLOVE SIZE CHART

Size (Numerical)	Size (Lettered)	Inches
6	XS	5-6
7	S	6-7
8	M	7-8
9	L	8-9
10	XL	9-10
11	XXL	10-11



To help determine the correct size, measure around the middle part of your dominant hand.

Nitrile Exam Gloves – 5 mil

HM3716

“Exam” style gloves provide superior tactile quality. Excellent inner glove when paired with 16 mil Butyl. 9.5” long. Powder free. Chemical resistant. Latex free. Available in sizes S, M, L, and XL. Box of 100 gloves.



Honeywell North® Butyl Smooth Gloves

Butyl has the highest permeation resistance to gas and water vapor, highly resistant to ketones (MEK, MIBL, acetone) and esters (tricesyl phosphate, amyl acetate, ethyl acetate). Smooth finish for tactile quality.

HM37184	7 mil - 14” length, sizes: M, L, and XL
HM37185	13 mil - 11” length, sizes: 8 - 11
HM37186	17 mil - 14” length, sizes: 8 - 11



Nitrile Extended Cuff Exam Gloves – 8 mil

Extended cuff “exam” style gloves that provide superior tactile quality. 8 mil nitrile gloves. Powder free. Chemical resistant. 12” long. Latex free. Box of 50 gloves.

HM3714	Black - sizes: M-2XL
HM3715	Blue - sizes: S-XL



Guardian Butyl Smooth Gloves - 35 mil

Highly impermeable to gas and water vapors and provide excellent protection from biohazards, Ketones (Acetone, MEK, MIBK), Esters, Acids, and stripping agents. Smooth finish, 14” long, L/R curved hand form. Available in sizes S, M, L, and XL.

HM371007	7 mil
HM371014	14 mil
HM371025	25 mil
HM371035	35 mil



Nitrile Glove – 15 mil HM37175

Lined, nitrile “case hardened” composition provides good chemical resistance against petroleum and hydrocarbon based chemicals. Perfect outer glove when used with 7 mil Butyl inner glove. Available in sizes 8, 9, 10, and 11.



Guardian Neoprene Smooth Gloves HM371235

Withstand acids, hydrocarbons, solvents, and petroleum products. As a single layer, these neoprene gloves meet the NFPA #1992 Splash Garment specification when paired with a Level B garment. When worn over Silver Shield glove liners and paired with a Level A HazMat suit, these gloves also meet the NFPA #1991 standard for vapor protective hazardous chemical protection. Length 14”. Curved R/L hand style.



Honeywell North® Butyl Rough Gloves

Tough outer glove with rough finish for superior grip. Butyl excels as a chemical barrier. Perfect outer glove when used with 5 mil Nitrile inner glove or Silver Shield Glove Liners. 11” long. Available in sizes 7, 8, 9, 10, and 11.

HM37182	13 mil
HM3718	16 mil



Silver Shield® Glove Liner HM3719

Ideal for spill cleanups, HazMat control operations and medical laboratories. Resists permeation and breakthrough by more toxic/hazardous materials than any other type of glove. Made from Norfoil, a lightweight, flexible laminate. Available in sizes 9, 10, and 11.





PERSONAL PROTECTION

PERSONAL PROTECTION ACCESSORIES

Disposable Face Shield with Protective Drape **HM3735**

Disposable full face shield with 6" attached drape, AAMI level 3 fluid barrier protection fabric. The barrier fabric cups under the chin to provide extra splash protection. Contoured foam across forehead. Anti-fog. Size: 9" x 13". Latex free. Box of 50.



Reusable Face Shield

Reusable, heavy-duty transparent face shield for safety in challenging environments. Provides protection from non-hazardous particles, light liquid splash, and aerosol exposure. Crystal-clear PETG plastic visor is over 5X thicker than typical disposable shields. High-density soft foam head pad retains shape over extended use. Available in size S and L. Box of 5 or case of 100.



- HM3740S** Box of 5 - Small
- HM3740** Box of 5 - Large
- HM3740S-100** Case of 100 - Small
- HM3740-100** Case of 100 - Large

International Enviroguard ViroGuard® 2 Hood **HM1355**

Breathable hood for high consequence infectious disease protection and to prevent bloodborne pathogen exposure. Laminated, multi-layer disposable hood with sealed seams. Material and seams pass ASTM F1670 and F1671 bloodborne pathogens standard. Latex free, elastic face. One size - tie strings in back personalize your fit. Box of 30.



Kappler® Provent® Plus Hood **HM1350**

Protective hood using breathable, Kappler® ProVent® 10,000 material with taped seams. Wear over a non-hooded gown or coverall to provide full head protection. Latex free, elastic face. The hood material meets ASTM F1670/F1671 standards for blood and viral penetration resistance. Size: one size fits most. Box of 30.



Safety Glasses **HM3730**

Interlocking side-shield system offers all-around protection from flying particles. Large, clear lens provides a wide viewing field. Box of 10.



Unknown Hazardous Substances Label **HM390**

Use these warning labels to identify disposed PPE or other items that may be contaminated with unknown hazardous substances. Strong adhesive adheres to most materials and uneven surfaces. Standard GHS pictograms signify possible presence of toxic or lethal contaminants. Information may be written on the labels to support your department's procedures. Size: 4" x 2".



Safety Goggles

These soft-sided goggles protect eyes against chemical exposure, have a clear lens and frame, and anti-scratch coating. The soft, blue-tint vinyl body fits snugly without pressure or irritation. The elastic braid strap threads through the frame for easy adjustment. Meets ANSI Z87.1 High Impact Requirements. Fits over most prescription eyewear. Box of 10.



- HM3721** Safety Goggle – Vented
- HM3720** Safety Goggle – Non-Vented

Duct Tape Roll **HM400**

Provides seal protection and is good for attaching gloves and boots to protective suits. 30-yard roll.



Protective Oversleeves **HM1230**

Disposable plastic arm sleeves provide forearm protection from non-corrosive light liquid splash and powder contaminants. Textured polyethylene. 18" long x 8" wide. Liquid impervious with sealed seams and enclosed elastic at both ends. Box of 100 pairs.




ChemTape® Roll **HM410**

Used to seal gloves and boots to a chemical-resistant suit, Kappler® ChemTape® provides superior chemical resistance and adhesion. 60-yard roll.



ChemTape® Strips **HM410S**

Easy-to-use, pre-cut strips. Dimensions: 18" long x 1 7/8" wide. Pack of 24 strips.



CREATE YOUR OWN SUIT KIT

Your choice of protective gear, ready for your next response.

You can customize PPE ensembles for specific field applications and package them in various types of protective containers for easy storage. Choose which suits, gloves, boots, and respirators you need, and DQE will do the rest. Custom suit kits give you grab-and-go protection at a moment's notice. Contact our customer service team to get started.





PERSONAL PROTECTION

RESPIRATORY PROTECTION

There are a variety of respirators for every individual need and application. DQE provides respirators that are comfortable, reliable, and offer broad protection against a range of hazards. Need a specific type of respirator or accessory? DQE can help. Call the DQE sales team at 1-800-355-4628.

Honeywell North RU6500 Silicone Full Facepiece *HM5411*

Provides lightweight, all-day comfort, and broad configuration flexibility. NIOSH approved in air purifying respirator (APR) and powered air purifying respirator (PAPR) configurations with North N-Series respirator filters and cartridges. Polycarbonate lens withstands high impact, eliminating the need for additional eye protection.

The North RU6500 reusable facepiece is the direct replacement for the Sperian Survivair Opti-Fit APR and Convertible facepiece line. Honeywell redesigned the Opti-Fit to accept the popular North N-Series particulate, gas and vapor filters, and cartridges. Available in sizes S, M, and L.

Use with:

HM5413 N-Series P100 Particulate Filter, Box of 2

HM5414 Shower Cap for North N-Series P100 Filter



Honeywell North RU6500 Air Purifying Respirator (APR) Kit *HM5410*

North RU6500 full face respirator mask with multi-purpose cartridges for respiratory protection against a variety of hazardous gases and vapors. Includes one Silicone Full Facepiece and two North Defender Multi-Purpose Respirator Cartridges. Available in sizes S, M, and L.



Use with:

HM5412

Defender Multi-Purpose Cartridge, Box of 2

MSA Millennium® CBRN Gas Mask *HM5450*

This NIOSH CBRN approved gas mask has a wide field of vision with flexible, one-piece polyurethane lens. Dual-canister mount. CBRN canister (sold separately) contains chemical sorbents and P100 filter to attract, retain, and neutralize contaminants. Available in S, M, and L.

Use with:

HM5451 MSA Millennium® Filter - CBRN



3M™ Respirator Cleaning Wipes *HM5007*

Hygienically clean respirators and other personal protective equipment. Individually packed 8" x 10" towelettes are alcohol free and will not damage the facepiece materials during respirator cleaning. Dispenser box of 100.



3M™ Fit Test Kit *HM5006*

Used to assess the face-to-respirator seal of any particulate respirator or gas/vapor respirator with a particulate prefilter. Fit testing must be performed before a respirator is first issued by a healthcare worker and is required annually thereafter. Note: a separate user seal check must be performed each time the respirator is worn.

Meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection: 29 CFR 1910.134. Provides consistent atmosphere for test exercises.

Kit Includes:

- One Hood
- One Collar Assembly
- Nebulizer #1 (Sensitivity)
- Nebulizer #2 (Fit Test)
- Two Sets Replacement Nebulizer Inserts
- Sensitivity Solution (bitter), 55 mL
- Fit Test Solution (bitter), 55 mL



3M™ Breathe Easy™ PAPR System - CBRN with Versaflo Rechargeable Battery *HM5550V*

This complete NIOSH CBRN certified powered air purifying respirator system helps provide protection against CBRN particulates, gases, and vapors. It is uniquely designed for first responders, first receivers, and public health professionals. Includes a 3M Versaflo 600 Standard Capacity Battery for a rechargeable CBRN power option and ease of integration with other Versaflo platform PAPR solutions.

Kit Includes:

- Breathe Easy Blower motor (3M model 022-00-03R01)
- 3M Standard Capacity Battery - Versaflo 600 (HM5601)
- 3M CBRN Breathing Tube Assembly (HM5555)
- 3M Butyl Rubber Hood (HM5552)
- 3M Decon Belt - Breathe Easy CBRN (HM5558)
- 3M RBE-57 CBRN Multi-Contaminant Filters (HM5556) - 3 cartridges
- Airflow indicator (3M model 520-010-21)
- 3M Shower Cover for PAPR Filter (HM5551) - 3 covers
- 3M Versaflo 600 Battery Adapter for Breathe Easy PAPR (HM5614)
- 3M Easy Clean Holster for Versaflo 600 Standard Battery (HM5615)
- 3M Single Station Battery Charger - Versaflo 600 (HM5607)
- Duffel bag



3M™ Breathe Easy™ PAPR System - CBRN with Lithium Non-Rechargeable Battery *HM5550L*

This complete NIOSH CBRN certified powered air purifying respirator system helps provide protection against CBRN particulates, gases, and vapors. It is uniquely designed for first responders, first receivers, and public health professionals. Includes a Lithium non-rechargeable battery for up to 12 hours of use and has a 10-year shelf life.

Kit Includes:

- Breathe Easy Blower Motor (3M model 022-00-03R01)
- 3M Lithium Non-Rechargeable Battery (HM5509) - up to 12 hours of use
- 3M CBRN Breathing Tube Assembly (HM5555)
- 3M Butyl Rubber Hood (HM5552)
- 3M RBE-57 CBRN Multi-Contaminant Filters (HM5556) - 3 cartridges
- Airflow Indicator (3M model 520-010-21)
- Duffel bag



3M™ Hood Insert for Breathe Easy PAPR - CBRN *HM5553*

Protective foam insert for improved storage of the 3M Breathe Easy PAPR - CBRN hood. Reduces the probability of lens degradation or damage.



3M™ CBRN Training Filter Cartridges *HM5557*

Training Cartridges for the 3M Breathe Easy PAPR - CBRN. For training purposes only. Offers no respiratory protection and not NIOSH approved. Box of 6.



EVACUATION

EMERGENCY EVACUATION EQUIPMENT

In the event of fires, natural disasters, or other emergencies, moving injured or immobilized individuals can be a challenge. Slyde Evacuation Sled goes where you need it, when you need it for priceless peace of mind. An organized exit strategy that includes the Slyde Evacuation Sled improves the odds of getting everyone to safety.



Slyde® Evacuation Sled

A safe, simple, and affordable way to evacuate non-ambulatory occupants from any multi-story building. Made from high-strength polypropylene, this compact, lightweight sled quickly and easily slides people in a horizontal evacuation to a safe place on the floor, a vertical evacuation using an elevator or stairways, or over uneven terrain. With a simple, one-person setup, this sled is a quick and efficient way to move someone who is immobilized to safety. With minimal training, anyone can rescue individuals using the Slyde Evacuation Sled. Folds flat and stores in stacks of five units in a storage sleeve. Includes a passenger restraint set with buckle chest and waist restraints. Available in sizes Standard or Bariatric.



- IC5010** Standard Slyde
- IC5105** Standard Slyde - 5 pack with storage sleeve
- IC5020** Bariatric Slyde
- IC5205** Bariatric Slyde - 5 pack with storage sleeve

Features:

- Folds flat and stacks for easy storage
- Easy set-up and instruction pictograms on each unit
- Four strong web handles for multi-point control by 2-7 operators
- Size permits continued stairwell traffic flow during occupant evacuation
- Chest and waist buckle restraints are quick and easy to use
- Compatible with Stairwell Belay System for heavy occupant evacuations
- Wall-mounted storage options are space saving and convenient

System Specifications:

- Material: Corrugated polypropylene
- Height: 8"
- Folded height: 2"
- Width: Standard - 17"; Bariatric - 21"
- Length: 82"
- Weight: Standard - 9 lb.; Bariatric - 11 lb.
- Maximum Weight Capacity: Standard - 400 lb.; Bariatric 600 lb.

Evacuation Slyde in use.



VIEW VIDEO

Key Features and Instructions for Use
dqeready.com/slyde



Slyde® Storage Sleeve

Provides a storage solution for Slyde Evacuation Sleds that is highly visible to your evacuation team. Sleds fold flat and are stored in stacks of up to five units per storage sleeve. The exterior of the sleeve indicates Slyde or Bariatric Slyde for fast identification. The heavy-duty Nylon construction protects the sleds while in storage, and the zippered closure provides quick access at a moment's notice. Use the clear-view pouch to display your emergency evacuation plan. The sleeve can be wall-mounted with velcro mounting straps for access in key locations. Available in sizes Standard (77" x 8" x 19") or Bariatric (77" x 8" x 24").

IC5011 Slyde Storage Sleeve - Standard

IC5021 Slyde Storage Sleeve - Bariatric



Storage Sleeve holds up to five Slyde Evacuation Sleds.



Slyde® Stairwell Belay System **IC5030**

Easily control the descent of the Standard and Bariatric Slyde Evacuation Sled. The stairwell belay device provides friction to control the descent and minimizes the risk of injury to the occupant and operators. Safely supports a maximum of 800 lb. when installed and used as directed for controlled descent of a person or equipment on the Slyde Evacuation Sled down inclined ramps or stairs. Aluminum, highly durable carabiners connect the stairwell belay device and stairwell belay rope to a firm anchor point and the Evacuation Sled.



Slyde® Stairwell Belay Box **IC5031**

The Slyde Stairwell Belay Box is for use with the Stairwell Belay System (IC5030). It keeps the belay system secure and provides an instant storage solution. Gain peace of mind by reducing the risk of injury when descending the stairs in the Slyde Evacuation Sled. Keeps the Stairwell Belay System, clean, secure, and ready at all times (includes key). Enclosed stainless steel anchor bolt provides a permanent, reliable, tamper-resistant, anchor point for the Stairwell Belay System.



FIREFIGHTER REHAB

37°C® Rehab Products maintain your 37°C (98.6°F) core body temperature. Perform at your best and **KEEP YOUR CORE™**. All 37°C rehab products are designed to support the NFPA 1584 Rehab Standard, making it easier to maintain high activity levels while ensuring emergency responder safety.



Kore Kooler® Rehab Chair

Scientifically proven to lower your body's core temperature by combating heat stress with active cooling. Submerge your forearms and hands in the reservoir bags filled with water, and cool your body temperature within its safe range quickly and effectively. Vented carrying bag and two reservoir bags included. Seat height: 16". Chair weight: 10 lb. Weight limit: 300 lb.

- RH2001** Kore Kooler Rehab Chair
- RH2002** Replacement Bags - 50 per box
- RH1999** Replacement Headrest

? HOW DOES FOREARM IMMERSION WORK TO RELIEVE HEAT STRESS?

Heat is transferred from hot arms/hands to the cooler water in the reservoirs. The cooled blood flows back throughout the body while picking up more heat for subsequent removal.



Padded headrest for support.

Sling construction provides a comfortable, relaxing hammock effect.

Attached armrest flaps cover water reservoirs when not in use.

Patented forearm immersion arms hold water to aid in the cooling process.

Easily folds up for portability and compact storage.



Misting Rehab Fan RH5000

Reduce air temperature by up to 35°F, depending on ambient temperature and humidity. Industrial quality 18" aluminum fan with 4 misting heads. Fan sits on top of a 10 gallon cooler with carry handles. Cools a 180 square foot area for about 5 hours on 10 gallons of water. Dimensions: 48" H x 23" W x 15" D.



Misting Rehab Shower RH7000

Convenient and portable, this shower incorporates specially designed misting nozzles that produce tiny, 10-micron water droplets that evaporate quickly in hot, dry air, resulting in a decrease in air temperature. Six mist nozzles in a 360° configuration. Dimensions: assembled 73" H x 27.5" W. Weight: 10 lb.

Rehab Shelter Package **RHK1000**

Establish an area for rest, recovery, and relief from climatic conditions with the rehab shelter package.

Package Contains:

- Rehab Area Shelter (RH3000)
- Rehab Area Folding Table (RH2013)
- Rehab Relaxation Chair (RH2003) - Qty 4
- Folding Chair (MC4047) - Qty 2
- Army Cots (MC4046) - Box of 2
- LED Work Light (RH4650) - Qty 3
- Extension Cord (HM1070) - Qty 2
- Sack-it™ Clean-Up Dispenser (HM375)
- Storage Bin - 28" x 21" x 15" (HM250)
- Rehab Area Toolbox (RH2020)

Rehab Area Shelter **RH3000**

Provides shade and protection from the elements for rehab setup. The frame is rust-resistant and the water and fire-resistant fabric meet NFPA-701, CFC (California Fire Code), and CPAI-84 standards. 10' x 10' white canopy stays attached to the frame for quick setup. "REHAB" printed on two sides. Includes shelter frame, fabric top, 4 sidewalls, storage roller bag, and 4 piece spike kit.

Rehab Area Folding Table **RH2013**

Durable and portable folding table that supports medical monitoring or other rehab functions. Open size: 48" L x 24" W x 29" H.

Rehab Relaxation Chair **RH2003**

Extra-wide, comfortable chair with a cushioned armrest, back, and seat for relaxation during rehab. Constructed of durable nylon with a steel collapsible frame. Seat height: 18". Weight limit: 500 lb. Unit weight 15 lb.

Folding Chair **MC4047**

Compact, sturdy chair suitable for use on any type of ground. Folds to 1" thick for easy storage. Seat height: 17". Open size: 16" W x 17" L x 29" H. Weight limit: 300 lb. Unit weight: 4 lb.

Extension Cord **HM1070**

Safe for outdoor use for rehab supplies requiring electricity. Features a lighted triple tap end. Length 50'.

Rehab Area Toolbox **RH2020**

Compact plastic tote contains supplies for setting up a rehab area and evaluating the medical status of responders. The toolbox contains:



Rehab ID Vests **RH2027**

Identify rehab workers during an emergency response incident. The lime green vests with reflective stripes are printed with "REHAB" on the front and back. Made of durable nylon mesh material. Pack of 4.

Rehab Resource Guides **RH2023**

Practical resource on setting up a rehab area and medical conditions that may be encountered during a response. Spiral bound and made of durable, water, and tear-resistant paper. Pack of 3.



Storage Bin - 28" x 21" x 15" **HM250**

Handy storage for rehab supplies. High-density polyethylene with attached hinged cover that opens and closes easily for ready access. Hand grips for carrying. Non-slip bottom surface.

Army Cots **MC4046**

Sturdy cots with enhanced stability, along with compact storage to maximize space. Rust-resistant frame. Water and stain-resistant material made of 600 denier polyester with PVC backing. Open size: 77" L x 28" W x 18" H. Unit weight: 19 lb. Weight limit: 500 lb. Box of 2.

LED Work Light **RH4650**

Hanging LED light for illuminating a shelter area. High impact lamp protector included. Hooks hang either horizontally or vertically. 10 watt, 900 lumens, up to 50,000 hours of LED life.

Sack-it™ Clean-up Dispenser **HM375**

Collect and contain waste with this portable clean-up kit. Contains a folding PVC bag holder and a box of 20 super-thick, 3-mil bags with draw-cord closure. Dispenser Dimensions: Open - 19" x 26" x 27"; Folded - 19" x 8" x 33".

Rehab Area Signs **RH2021**

Designate the various areas within a rehab setup. Signs are easily hung on the shelter with attached magnet clips. The weather-resistant signs designate the areas: Medical Monitoring, Gear Drop, Check In/Out, Rest and Recovery, and EMS Treatment. Pack of 5.

Check In/Out Notepad **RH2024**

Twenty-page tablet for recording names, department, unit, and company of firefighters and emergency responders reporting to rehab. Pack of 3.

Rehab Timing Clock **RH2022**

Electronic clock with large backlit display for referencing rehab area check-in and check-out time.

Medical Monitoring Notepad **RH2025**

Twenty-page tablet for recording vital signs, medical status, and rehab measures taken. Two packs of 3.



HEALTH & WELLNESS

Hygiene Package **RHK4000**

Remove the grime of the job and provide a sanitary facility with the Hygiene Package.

Package Contains:

- Portable Toilet System (MC4051)
- Portable Toilet Refill Kits (MC4052-50)
- Hand Sanitizing Wipes (NS-1)
- Heavy Duty Privacy Screen (MC5032) - Qty 2
- Rubber-Soled Slippers (RH2012)
- Body Wipes (CTMC40053)
- Dry-It (HM705)
- Storage Bin - 34" x 24" x 20" (HM255)



Portable Toilet System **MC4051**

Provides a private location for a clean, sanitary restroom. The Portable Toilet System folds into an easy-carry backpack and weighs only 17.5 lb. for maximum portability. Contains: toilet, privacy shelter tent, backpack carry bag, and 15 Portable Toilet WAG Bags.

Heavy Duty Privacy Screen **MC5032**

Large 5' x 5' portable privacy screen with a quick and easy setup, a durable, industrial-grade PVC support structure, and sturdy 8 oz. vinyl screen that's built to withstand repeat uses. Includes water-repelling, urethane-coated, nylon bag with barrel lock closure and carry handle. Sets up quickly and has a vinyl panel that is easily cleaned. PVC frame: 66" H x 62.5" L. Some assembly required.

Hand Sanitizing Wipes **NS-1**

Sanitary hand wipes in a dispenser pack. Pack of 100.

Portable Toilet Refill Kits

Contains a powder waste treatment that turns liquid waste into a gel for easy, odor-free disposal. The kits include toilet paper and a hand sanitizer.

MC4052-12	Box of 12
MC4052-50	Box of 50
MC4052-100	Box of 100

Rubber-Soled Slippers **RH2012**

Rubbed-soled slippers provide safety when walking around a rehab area without work boots. Terrycloth fabric with rubber soles. Pack of 6 pairs.

Body Wipes **CTMC40053**

Heavy-weight, polyester blend washcloths contain a rinse-free cleansing solution to remove dirt and grime. 8 wipes per pack. Box of 24 packs.

Dry-it™ Disposable Towels **HM705**

Versatile, disposable, bath-sized towels that are soft enough for skin and strong enough for clean-up. Roll of 100, 19" x 42" towels packaged in a dispenser box.

ADDITIONAL HYGIENE PRODUCTS...



Pee Wee Unisex Urine Bag **RH4001**

The safe, sanitary, convenient, biodegradable way to 'pee' when plumbing's not available. Snap-close bag closes with no spills or contact with the waste. Slip-resistant, unisex collar can be used by men and women. Snap-close bag. Gels 24 oz. of liquid waste. Can be discarded in normal trash. Includes sanitary wipe. Box of 50.



Sani-Bag+® Commode Liner

Excellent for emergency use to dispose of human waste without a need for water when toilets aren't available. Consists of a funnel-shaped, biodegradable bag that contains a specially formulated waste treatment powder. The powder turns liquid to solid for easy, mess-free disposal. The powder also has a deodorizer to control odor. After use, simply remove the bag, roll it over the seal, and dispose of it in the trash.

MC4031-25	Box of 25
MC4031	Case of 4 (box of 25)
MC4031-200	Bulk pack of 200 (not individually wrapped)


SUPPORTING HEALTH & WELLNESS

Our goal is to make a difference in the lives of responders by providing practical products that put safety and health first.



Responder Wipes

On-scene decontamination wipes to remove the toxins firefighters are exposed to in the line of duty. Draws out impurities from pores while hydrating skin more effectively than traditional body cleansing wipes. Formulated with micelles, tiny oil cleansing molecules that work like a magnet to capture and lift away dirt, oil, soot, and other harmful matter from the skin's surface without harsh rubbing or irritation. Each large cleansing wipe is 12" x 24". Thick fabric ensures the wipe does not shred, tear, or ball up when used.



Responder Wipe in use.



- RH707** Box of 16
- RH707C** Case of 4 boxes (16 per box)



Privacy Cube

Provide needed privacy space quickly and efficiently with the Privacy Cube. The Privacy Cube assembles to create a square-shaped area with a variety of emergency response uses including medical screening, rehab or decon privacy, and crime scene/fatality management.

The four-panel partition system is lightweight and folds flat for easy storage. The screens adjust into multiple configurations beyond a square-shape and have even greater versatility when used alongside the Privacy Screen (MC4022). Easy snap-fit assembly required. Includes a canvas bag for transport. The Privacy Cube Kit includes 3 sandbags and 2 stakes in addition to the Privacy Cube.

Specifications:

- Cube dimensions: 62" x 62" x 74"
- Closed screen dimensions for storage: 62" x 74" x 5"
- Weight: 20 lb. (35 lb. with added sandbags)



Folds into canvas carry bag.




- MC5022E** Privacy Cube
- MCK5022** Privacy Cube Kit
- MC5022RS** Replacement Screen Assembly



Privacy Screen

When events call for the ability to provide privacy and separation between people, these lightweight portable privacy screens set up quickly and are easily transportable. The durable, lightweight PVC screen frame is easy to assemble and contains a fluid-resistant screen fabric that is easily replaced when dirty. Each Privacy Screen includes a Replacement Screen Sheet. Ships unassembled. PVC screen frame size: 70"H x 62.5"W x 26"D. Weight: 10 lb.

- MC4022** Privacy Screen
- MC4022RS** Replacement Screens - Box of 3



Floor Standing Barrier Screen

Portable physical barrier screen provides separation and encourages social distancing while reducing exposure to infectious particles. Choose the clear transparent screen option for ultimate visibility and minimal light blocking. The semi-transparent option provides some discretion and modesty while allowing light to pass through. Dimensions: PVC frame: 62.5"W x 69.5"H (75.5"H with taller legs) x 26"D, Shielded area: 62.5"W x 55"H. Weight: 10 lb.

- MC5052C** Barrier Screen - Clear
- MC5052ST** Barrier Screen - Semi-Transparent



Countertop Barrier Shield **MC5042**

Help reduce the spread of airborne particles through confined spaces such as offices, lobbies, classrooms, waiting rooms, and retail establishments. This horizontal countertop safety barrier has a 40" x 30" shield with a 6" pass-through that allows customers or coworkers to pass articles under the screen surface while remaining a safe distance away.



RESPONSE SUPPORT

General products for first responders.

Wobble Light® RP4601

Bright, convenient, and virtually indestructible; the 36" tall Wobble Light is a highly durable work light that takes a severe beating and keeps on performing. Shock absorber protects bulb from strikes and jarring. Internal ventilation system keeps light cool enough to touch.

Specifications:

- 18" W x 36" H
- Requires a standard 110 volt (2.25 amp) power source
- String together in a series or use individually
- 175 Watt Metal Halide, 20,000 Lumens
- Illumination range: 32-42 ft. diameter
- Weight: 27 lb.



LED Work Light RP4650

The LED Work Light can hang either horizontally or vertically to light emergency preparedness work areas such as Mobile Command Shelters. These bright and durable LED tube lights are rated up to 50,000 hours and have reflective tube shields for focused task lighting. The light comes with a 2" integrated rotating hook and 2 separate hooks for horizontal hanging and a 25' cord. 120 Volt/ 60 Hz. 900 Lumens, 10 Watt.



Glow Light Sticks - Green RP4710

These green light sticks glow for 8-12 hours, providing a light source for many different situations. An attached hook allows for hanging from clothing, equipment, etc. To activate the glow stick, simply snap and shake it. Box of 25.



Cooling Vests

Keep cool while working with cooling vests. Maintain a cool, constant 59°F temperature for up to 2.5 hours. Wear underneath outer garments to keep it mostly concealed from view. The cooling vest fits a wide range of body sizes. The side elastic straps and over-the-shoulder adjustability provides maximum comfort. Wear this cooling vest directly against your skin without the fear of frostbite, tissue damage or discomfort. The fabric is machine washable and easily cleaned in regular laundry. Weighs less than 5 lb. Coolpacks are filled with a non-chemical, non-toxic formula and recharge in 20 minutes or less. Includes one cool pack set.

RP6210 Concealable

RP6211 Zipper Front

RP6210



RP6211



Cool Packs for Cooling Vest (Zipper Front & Concealable) **RP606**

Keep cool packs in hand for prolonged cooling in the zipper front cooling vests, concealable cooling vests. Cooling gel in the cool packs remains thermally stable at 59°F (15°C) during use. Recharges in 20 minutes or less. The cool packs are filled with a non-chemical, non-toxic formula. One cool pack set.



Disposable Cooling Vests

Disposable Cooling Vests are adjustable and thin for comfort under personal protective apparel and chemical suits. They are designed to target the optimal upper torso cooling zone across a wide range of body styles. Vests may last multiple sessions depending on soiling and activity level. Maintain a cool, constant 59°F temperature for up to 2.5 hours. Safe for clean environments and against your body inside of personal protective equipment. Not launderable - suitable for 1-3 uses. Cool Packs (RP6213) can be sanitized and reused. Contain no hazardous ingredients.

RP6214 Disposable Cooling Vests - Starter Set
(5 vests and box of 4 reusable cool packs)

RP6212 Disposable Cooling Vests - 5 Vests
(reusable cooling packs sold separately)



Cool Packs for Disposable Cooling Vest **RP6213**

State of the art, bio-based cooling packs remain 59°F for up to 2½ hours and recharge in minutes. Cooling gel in the cool packs remains at 59°F during use. Recharges in 20 minutes or less. The cooling packs are filled with a non-chemical, non-toxic formula. Duration of charge: up to 2½ hours. Cool Packs can be sanitized and reused.



DQE INFORMATION AND POLICIES

ORDERS

All orders are subject to approval by DQE Inc., Indianapolis, IN. Orders will be acknowledged within 24 business hours of receipt and can be placed email, phone, fax, online with VISA/Mastercard/Discover/AMEX or purchase order.

PRICES

Prices are Net 30 and subject to change without notice. The pricing in effect on the date the order is received is the amount that will be charged.

RETURNS

All returns must be authorized by DQE Customer Service. After 30 days from the sale, merchandise approved for return will be eligible for DQE credit only, and a restocking charge of 10% will be deducted from the final credit. The customer is responsible for all shipping charges on returned merchandise after 30 days from sale.

SHIPPING

There is no minimum order size. All orders ship FOB shipping point. Shipping and insurance charges are paid by the customer. We cannot deliver to a PO, APO, or FPO address.

FREE SHIPPING POLICY

Free shipping is provided on most orders \$10,000 and above within the continental U.S. DQE reserves the right to assess shipping charges for any special or unforeseen circumstances. Please reference shipping exclusions at shop.dqeready.com/shipping for further details.

PAYMENT TERMS

Purchases may be made by check, purchase order, or credit card (VISA/MasterCard/Discover/AMEX). Payment on purchase orders is due within 30 days of order. Payments after 30 days will be assessed a fee of 1.5% per month on the balance.

TAXES

Sales or other taxes are added to the invoice as required. Tax-exempt customers must include proof of sales tax exemption with an order.

CANCELLATIONS

Cancellations can be made if an order is open; product material has not been committed to at the factory or with a vendor; the product is not in an active shipping status or closed.

PPE RETURN POLICY

Due to the hazardous nature of using personal protective equipment, PPE products are not eligible for return.

MASS CARE RETURN POLICY

DQE is unable to accept returns or exchanges on Mass Care products, which are designated by "MC" at the beginning of the product number. Contact DQE for product samples prior to purchase.

THE DQE GUARANTEE

DQE guarantees satisfaction for every product it sells. If you are not completely satisfied with any product (custom orders excluded) purchased from DQE, return it for full credit (some exclusions may apply).

Products manufactured by DQE carry a lifetime warranty against manufacturing and material defects. In addition, DQE offers one free replacement part over the life of any shower we manufacture (part code from product insert required).

Warranties for products manufactured by companies other than DQE are subject to the limits and restrictions listed by the respective manufacturer. Contact DQE for details on specific manufacturer warranties. DQE reserves the right to deny warranty coverage if the product has been mishandled or abused. DQE reserves the right to replace or repair a warranted product at its discretion.



CONTACT US

Phone: 800-355-4628

Fax: 317-295-9822

Web: www.dqeready.com

Email: info@dqeready.com

ORDERING WITH DQE IS EASY!



Order online at www.shop.dqeready.com where you can purchase by credit card. We accept VISA, Mastercard, Discover, and American Express

Submit a purchase order via fax at 317-295-9822 or email at orders@dqeready.com.

Give our customer service representatives a call at 800-355-4628.

DQE[®]

Ready now for what's next.[™]